

TB-30ND WELD CLEANING FLUID





FOR STAINLESS STEEL

SAFETY DATA SHEET

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 Product identifier

Product name TB-30ND WELD CLEANING FLUID FOR STAINLESS STEEL (UK)

Synonym(s) ENSITECH TB-30 • TB 30

1.2 Uses and uses advised against

Use(s) TIG BRUSH WELD CLEANING SOLUTION FOR STAINLESS STEEL

1.3 Details of the supplier of the product

Supplier name ENSITECH PTY LTD (C/O VICKERS LABS LTD) (UK)

Address Grangefield Industrial Estate, Richardshaw Road, Pudsey, West Yorkshire, UNITED KINGDOM

 Telephone
 +44 (0) 113 236 2811

 Website
 www.tigbrush.com

1.4 Emergency telephone number(s)

Emergency +1 352-323-3500

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

CLASSIFICATION ACCORDING TO REGULATION (EC) NO. 1272/2008 [CLP/GHS]

GHS classification(s) Serious Eye Damage / Eye Irritation: Category 1

Skin Corrosion/Irritation: Category 3

2.2 Label elements

LABELLING ACCORDING TO REGULATION (EC) NO. 1272/2008 [CLP/GHS]

Signal word DANGER

Pictogram(s)



Hazard statement(s)

H316 Causes mild skin irritation.H318 Causes serious eye damage.

Prevention statement(s)

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response statement(s)

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician. P332 + P313 If skin irritation occurs: Get medical advice/ attention.

Storage statement(s)

None allocated.

Disposal statement(s)

None allocated.

SDS Date: 25 Sep 2015
Page 1 of 6 Version No: 0.3



PRODUCT NAME TB-30ND WELD CLEANING FLUID FOR STAINLESS STEEL (UK)

2.3 Other hazards

No information provided.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances / Mixtures

Ingredient	CAS Number	EC Number	Content
PROPRIETARY INGREDIENT(S)	-	-	>50%
WATER	7732-18-5	231-791-2	36%
CITRIC ACID	77-92-9	201-069-1	<30%

4. FIRST AID MEASURES

4.1 Description of first aid measures

Eye If in eyes, hold eyelids apart and flush continuously with running water. Continue flushing until advised to

stop by a Poisons Information Centre, a doctor, or for at least 15 minutes.

Inhalation If inhaled, remove from contaminated area. Apply artificial respiration if not breathing.

Skin If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water.

Continue flushing with water until advised to stop by a Poisons Information Centre or a doctor.

Ingestion For advice, contact a Poison Information Centre or a doctor (at once). If swallowed, do not induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Acute: Irritating to the eyes and skin. Delayed: No information available.

4.3 Immediate medical attention and special treatment needed

Treat symptomatically.

5. FIRE FIGHTING MEASURES

5.1 Extinguishing media

Use an extinguishing agent suitable for the surrounding fire.

5.2 Special hazards arising from the substance or mixture

Non flammable. May evolve carbon oxides and hydrocarbons when heated to decomposition.

5.3 Advice for firefighters

Evacuate area and contact emergency services. Toxic gases may be evolved in a fire situation. Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire. Use waterfog to cool intact containers and nearby storage areas.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear Personal Protective Equipment (PPE) as detailed in section 8 of the SDS. Clear area of all unprotected personnel. Ventilate area where possible. Contact emergency services where appropriate.

6.2 Environmental precautions

Prevent product from entering drains and waterways.

6.3 Methods of cleaning up

Contain spillage, then cover / absorb spill with non-combustible absorbent material (vermiculite, sand, or similar), collect and place in suitable containers for disposal.

6.4 Reference to other sections

See Sections 8 and 13 for exposure controls and disposal.

7. HANDLING AND STORAGE



SDS Date: 25 Sep 2015

Page 2 of 6 Version No: 0.3

TB-30ND WELD CLEANING FLUID FOR STAINLESS STEEL (UK) PRODUCT NAME

7.1 Precautions for safe handling

Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas. This solution should not be used in a spraying application.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well ventilated area, removed from incompatible substances, heat or ignition sources and foodstuffs. Ensure containers are adequately labelled, protected from physical damage and sealed when not in use. Check regularly for leaks or spills. Large storage areas should have appropriate ventilation systems.

7.3 Specific end use(s)

No information provided.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Exposure standards

No exposure standards have been entered for this product.

Biological limits

No biological limit values have been entered for this product.

8.2 Exposure controls

Avoid inhalation. Use in well ventilated areas. Where an inhalation risk exists, mechanical extraction **Engineering controls**

ventilation is recommended.

PPE

Eye / Face Wear splash-proof goggles.

Hands Wear nitrile or PVC or rubber gloves.

When using large quantities or where heavy contamination is likely, wear coveralls. **Body**

Respiratory Not required under normal conditions of use.





9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

CLEAR GREEN LIQUID Appearance

Odour SWEET AND PLEASANT ODOUR

Flammability NON FLAMMABLE Flash point NOT RELEVANT **Boiling point** NOT AVAILABLE **Melting point NOT AVAILABLE Evaporation rate NOT AVAILABLE**

pН 1.6

Vapour density **NOT AVAILABLE** Specific gravity NOT AVAILABLE Solubility (water) **SOLUBLE**

Vapour pressure NOT AVAILABLE **Upper explosion limit** NOT RELEVANT Lower explosion limit NOT RELEVANT Partition coefficient NOT AVAILABLE **NOT AVAILABLE Autoignition temperature Decomposition temperature** NOT AVAILABLE

Viscosity NOT AVAILABLE **Explosive properties** NOT AVAILABLE **Oxidising properties** NOT AVAILABLE **Odour threshold** NOT AVAILABLE

SDS Date: 25 Sep 2015 Version No: 0.3 Page 3 of 6



PRODUCT NAME TB-30ND WELD CLEANING FLUID FOR STAINLESS STEEL (UK)

10. STABILITY AND REACTIVITY

10.1 Reactivity

Carefully review all information provided in sections 10.2 to 10.6.

10.2 Chemical stability

Stable under recommended conditions of storage.

10.3 Possibility of hazardous reactions

Polymerization is not expected to occur.

10.4 Conditions to avoid

Avoid heat, sparks, open flames and other ignition sources.

10.5 Incompatible materials

Incompatible with oxidising agents (e.g. hypochlorites) and alkalis (e.g. sodium hydroxide).

10.6 Hazardous decomposition products

May evolve carbon oxides and hydrocarbons when heated to decomposition.

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity Information available for the product:

This product is expected to be of low toxicity. Based on available data, the classification criteria are not met.

Information available for the ingredient(s):

Ingredient	Oral Toxicity	Dermal Toxicity	Inhalation Toxicity
	(LD50)	(LD50)	(LC50)
CITRIC ACID	3000 mg/kg (rat)		

Skin This product has the potential to cause irritation due to its acidic nature. Mildly irritating to the skin.

Eye This product has the potential to cause serious eye irritation due to its acidic nature. May be corrosive to

ocular tissue.

Sensitization Available data is not considered sufficient for classification as a skin or respiratory sensitizer.

MutagenicityNot classified as a mutagen.CarcinogenicityNot classified as a carcinogen.

Reproductive Not classified as a reproductive toxin.

STOT - single Not classified as causing organ damage from single exposure. However, over exposure may result in

exposure irritation of the nose and throat, with coughing.

STOT – repeated exposureNot classified as causing organ damage from repeated exposure. Adverse effects are generally associated with single exposure.

Aspiration Not classified as causing aspiration.

12. ECOLOGICAL INFORMATION

12.1 Toxicity

No information provided.

12.2 Persistence and degradability

If citric acid is released to water, it is expected to biodegrade rapidly.

12.3 Bioaccumulative potential

This product is not expected to bioaccumulate.

12.4 Mobility in soil

The product is soluble in water.

12.5 Results of PBT and vPvB assessment

No information provided.

ensitech[®]

SDS Date: 25 Sep 2015 Version No: 0.3

Page 4 of 6

PRODUCT NAME TB-30ND WELD CLEANING FLUID FOR STAINLESS STEEL (UK)

12.6 Other adverse effects

WATER: If citric acid is released to water, it is expected to biodegrade rapidly. May be toxic to fish at moderately high levels (120 ppm is fatal to daphnia; 894 ppm with pH 4 is fatal to goldfish) due to acidic nature. Fairly high biological oxygen demand (BOD) which may cause oxygen depletion in large spills. Citric acid occurs naturally in many plants.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Waste disposal Neutralise with lime, anion exchanger or similar. For small amounts, flush to sewer with excess water or

absorb with sand, vermiculite or similar and dispose of to an approved landfill site. For large quantities,

contact the manufacturer/supplier for additional information.

Legislation Dispose of in accordance with relevant local legislation.

14. TRANSPORT INFORMATION

NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF ADR, IMDG OR IATA

	LAND TRANSPORT (ADR / RID)	SEA TRANSPORT (IMDG / IMO)	AIR TRANSPORT (IATA / ICAO)
14.1 UN Number	None Allocated	None Allocated	None Allocated
14.2 Proper Shipping Name	None Allocated	None Allocated	None Allocated
14.3 Transport hazard class	None Allocated	None Allocated	None Allocated
14.4 Packing Group	None Allocated	None Allocated	None Allocated

14.5 Environmental hazards No information provided

14.6 Special precautions for user

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Hazardous substance or mixture according to EC-directives 67/548/EEC or 1999/45/EC.

Classifications Xi Irritant

Risk phrasesR41Risk of serious damage to eyes.Safety phrasesS24/25Avoid contact with skin and eyes.

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice

S37/39 Wear suitable gloves and eye/face protection.

Inventory listing(s) EUROPE:EINECS (European Inventory of Existing Chemical Substances)

All components are listed on EINECS, or are exempt.

15.2 Chemical safety assessment

No information provided.

16. OTHER INFORMATION

Additional information

EXPOSURE STANDARDS - TIME WEIGHTED AVERAGES: Exposure standards are established on the premise of an 8 hour work period of normal intensity, under normal climatic conditions and where a 16 hour break between shifts exists to enable the body to eliminate absorbed contaminants. In the following circumstances, exposure standards must be reduced: Strenuous work conditions; hot, humid climates; high altitude conditions; extended shifts (which increase the exposure period and shorten the period of recuperation).

PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

sitech* Page 5 of 6

SDS Date: 25 Sep 2015

Version No: 0.3

PRODUCT NAME TB-30ND WELD CLEANING FLUID FOR STAINLESS STEEL (UK)

HEALTH EFFECTS FROM EXPOSURE:

It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a ChemAlert report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

Abbreviations ACGIH American Conference of Governmental Industrial Hygienists

> CAS# Chemical Abstract Service number - used to uniquely identify chemical compounds

CNS Central Nervous System **DNEL** Derived No Effect Level

EC No. EC No - European Community Number

EMS Emergency Schedules (Emergency Procedures for Ships Carrying Dangerous

Goods)

GHS Globally Harmonized System

IARC International Agency for Research on Cancer

LC50 Lethal Concentration, 50% / Median Lethal Concentration

LD50 Lethal Dose, 50% / Median Lethal Dose

mg/m³ Milligrams per Cubic Metre **OEL** Occupational Exposure Limit **PBT** Persistent, bioaccumulative, toxic

relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly pΗ

alkaline).

PNEC Predicted No Effect Concentration

mag Parts Per Million

Regulation on Registration, Evaluation, Authorisation and Restriction of Chemicals **REACH**

STEL Short-Term Exposure Limit

STOT-RE Specific target organ toxicity (repeated exposure) Specific target organ toxicity (single exposure) STOT-SE

Threshold Limit Value TLV **TWA** Time Weighted Average

Very Persistent and Very Bioaccumulative vPvB

Report status

This document has been compiled by RMT on behalf of the manufacturer, importer or supplier of the product and serves as their Safety Data Sheet ('SDS').

It is based on information concerning the product which has been provided to RMT by the manufacturer, importer or supplier or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer, importer or supplier.

While RMT has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.

Prepared by

Risk Management Technologies 5 Ventnor Ave, West Perth Western Australia 6005 Phone: +61 8 9322 1711 Fax: +61 8 9322 1794 Email: info@rmt.com.au Web: www.rmt.com.au.

Prepared in accordance with: Annex II of the REACH Regulation (EC) 1907/2006; (CLP) Regulation (EC) 1272/2008; and Regulation (EC) 453/2010 (Amendments to (EC) 1272/2008).

[End of SDS]



SDS Date: 25 Sep 2015 Version No: 0.3

Page 6 of 6