

TB-95 ETCHING FLUID FOR STAINLESS STEEL





SAFETY DATA SHEET

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 Product identifier

Product name TB-95 ETCHING FLUID FOR STAINLESS STEEL (UK)

Synonym(s) ETCHING FLUID FOR STAINLESS STEEL

1.2 Uses and uses advised against

Use(s) ETCHANT

Etching Stainless Steel with the TIG Brush.

1.3 Details of the supplier of the product

Supplier name ENSITECH PTY LTD (C/O VICKERS LABS LTD) (UK)

Address Grangefield Industrial Estate, Richardshaw Road, Pudsey, West Yorkshire, UNITED KINGDOM

 Telephone
 +44 (0) 113 236 2811

 Website
 www.tigbrush.com

1.4 Emergency telephone number(s)

Emergency +1 352-323-3500

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

CLASSIFICATION ACCORDING TO REGULATION (EC) NO. 1272/2008 [CLP/GHS]

GHS classification(s) Skin Corrosion/Irritation: Category 2

Serious Eye Damage / Eye Irritation: Category 2A

2.2 Label elements

LABELLING ACCORDING TO REGULATION (EC) NO. 1272/2008 [CLP/GHS]

Signal word WARNING

Pictogram(s)



Hazard statement(s)

H315 Causes skin irritation. H319 Causes serious eye irritation.

Prevention statement(s)

P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response statement(s)

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

P321 Specific treatment is advised - see first aid instructions.
P332 + P337 + P313 If skin or eye irritation occurs: Get medical advice/ attention.
Take off contaminated clothing and wash before re-use.

Storage statement(s)

None allocated.

SDS Date: 23 Sep 2015 Page 1 of 6 Version No: 1.3



PRODUCT NAME TB-95 ETCHING FLUID FOR STAINLESS STEEL (UK)

Disposal statement(s)

None allocated.

2.3 Other hazards

No information provided.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances / Mixtures

Ingredient	CAS Number	EC Number	Content
HYDROCHLORIC ACID	7647-01-0	231-595-7	1 to 2%
WATER	7732-18-5	231-791-2	>60%
NON HAZARDOUS INGREDIENTS	Not Available	Not Available	<10%

4. FIRST AID MEASURES

4.1 Description of first aid measures

Eye If in eyes, hold eyelids apart and flush continuously with running water. Continue flushing until advised to

stop by a Poisons Information Centre, a doctor, or for at least 15 minutes.

Inhalation If inhaled, remove from contaminated area. Apply artificial respiration if not breathing.

Skin If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water.

Continue flushing with water until advised to stop by a Poisons Information Centre or a doctor.

Ingestion For advice, contact a Poison Information Centre or a doctor (at once). If swallowed, do not induce vomiting.

First aid facilities Eye wash facilities and safety shower should be available.

4.2 Most important symptoms and effects, both acute and delayed

Irritating to the eyes and skin.

4.3 Immediate medical attention and special treatment needed

Treat symptomatically.

5. FIRE FIGHTING MEASURES

5.1 Extinguishing media

Use an extinguishing agent suitable for the surrounding fire.

5.2 Special hazards arising from the substance or mixture

Non flammable. May evolve toxic gases if strongly heated.

5.3 Advice for firefighters

Treat as per requirements for surrounding fires. Evacuate area and contact emergency services. Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire. Use waterfog to cool intact containers and nearby storage areas.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear Personal Protective Equipment (PPE) as detailed in section 8 of the SDS. Clear area of all unprotected personnel. Ventilate area where possible. Contact emergency services where appropriate.

6.2 Environmental precautions

Prevent product from entering drains and waterways.

6.3 Methods of cleaning up

Contain spillage, then cover / absorb spill with non-combustible absorbent material (vermiculite, sand, or similar), collect and place in suitable containers for disposal.

6.4 Reference to other sections

See Sections 8 and 13 for exposure controls and disposal.



SDS Date: 23 Sep 2015 Version No: 1.3

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well ventilated area, removed from incompatible substances and foodstuffs. Ensure containers are adequately labelled, protected from physical damage and sealed when not in use.

7.3 Specific end use(s)

No information provided.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Exposure standards

Ingredient	Reference	TWA		STEL	
Ingredient	Kelerence	ppm	mg/m³	ppm	mg/m³
Hydrogen chloride (gas and aerosol mists)	WEL (UK)	1	2	5	8
Hydrogenchlorid	OEL (Germany)	2	3		
Hydrogenklorid	OEL (Norway)	5	7		

Biological limits

No biological limit values have been entered for this product.

8.2 Exposure controls

Engineering controls Avoid inhalation. Use in well ventilated areas. Where an inhalation risk exists, mechanical extraction

ventilation is recommended.

PPE

Eye / Face Wear splash-proof goggles. **Hands** Wear PVC or rubber gloves.

Body When using large quantities or where heavy contamination is likely, wear coveralls. In a laboratory situation,

wear a laboratory coat.

Respiratory Not required under normal conditions of use.





9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

TEAL COLOURED LIQUID **Appearance** PEPPERMINT ODOUR Odour **Flammability** NON FLAMMABLE Flash point **NOT RELEVANT Boiling point** 100°C (Approximately) **Melting point** 0°C (Approximately) **NOT AVAILABLE Evaporation rate** 1 (Approximately) Hq **NOT AVAILABLE** Vapour density

Specific gravity
Solubility (water)
Vapour pressure
Upper explosion limit
Lower explosion limit
Partition coefficient

1.05
SOLUBLE
NOT AVAILABLE
NOT RELEVANT
NOT RELEVANT
NOT AVAILABLE

SDS Date: 23 Sep 2015 Page 3 of 6 Version No: 1.3



PRODUCT NAME TB-95 ETCHING FLUID FOR STAINLESS STEEL (UK)

9.1 Information on basic physical and chemical properties

NOT AVAILABLE **Autoignition temperature Decomposition temperature** NOT AVAILABLE NOT AVAILABLE **Viscosity Explosive properties NOT AVAILABLE** Oxidising properties **NOT AVAILABLE NOT AVAILABLE Odour threshold**

10. STABILITY AND REACTIVITY

10.1 Reactivity

Carefully review all information provided in sections 10.2 to 10.6.

10.2 Chemical stability

Stable under recommended conditions of storage.

10.3 Possibility of hazardous reactions

Polymerization will not occur.

10.4 Conditions to avoid

Avoid heat, sparks, open flames and other ignition sources.

10.5 Incompatible materials

Incompatible with oxidising agents (e.g. hypochlorites) and alkalis (e.g. sodium hydroxide).

10.6 Hazardous decomposition products

May evolve toxic gases if heated to decomposition.

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Information available for the product: Acute toxicity

Based on available data, the classification criteria are not met.

Information available for the ingredient(s):

Ingredient	Oral Toxicity	Dermal Toxicity	Inhalation Toxicity
	(LD50)	(LD50)	(LC50)
HYDROCHLORIC ACID	2210 mg/kg (rat)		1108 ppm/1hr (human -

Skin Irritating to the skin. Contact may result in irritation, lacrimation, pain and redness. May result in burns with

prolonged contact.

Eve Irritating to the eyes. Contact may result in irritation, lacrimation, pain and redness. May result in burns with

prolonged contact.

Sensitization Not classified as causing skin or respiratory sensitisation. Mutagenicity Insufficient data available to classify as a mutagen. Carcinogenicity Insufficient data available to classify as a carcinogen.

Reproductive Insufficient data available to classify as a reproductive toxin.

STOT - single Over exposure may result in irritation of the nose and throat, with coughing. High level exposure may result in

breathing difficulties. exposure

STOT - repeated Not classified as causing organ damage from repeated exposure. Adverse effects are generally associated exposure

with single exposure.

Not an aspiration hazard. **Aspiration**

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Hydrochloric acid is hazardous to aquatic life at high concentrations.

12.2 Persistence and degradability

The product is not expected to persist in the environment.



SDS Date: 23 Sep 2015 Version No: 1.3

Page 4 of 6

PRODUCT NAME TB-95 ETCHING FLUID FOR STAINLESS STEEL (UK)

12.3 Bioaccumulative potential

Not expected to bioaccumulate.

12.4 Mobility in soil

This substance is water soluble and is expected to remain primarily in water.

12.5 Results of PBT and vPvB assessment

Not classified as PBT or vPvB.

12.6 Other adverse effects

No information provided.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Waste disposal Wearing the protective equipment detailed above, neutralise to pH 6-8 by SLOW addition to a saturated

sodium bicarbonate solution or similar basic solution. Dilute with excess water and flush to drain. Waste

disposal should only be undertaken in a well ventilated area.

Legislation Dispose of in accordance with relevant local legislation.

14. TRANSPORT INFORMATION

NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF ADR, IMDG OR IATA

•					
	LAND TRANSPORT (ADR / RID)	SEA TRANSPORT (IMDG / IMO)	AIR TRANSPORT (IATA / ICAO)		
14.1 UN Number	None Allocated	None Allocated	None Allocated		
14.2 Proper Shipping Name	None Allocated	None Allocated	None Allocated		
14.3 Transport hazard class	None Allocated	None Allocated	None Allocated		
14.4 Packing Group	None Allocated	None Allocated	None Allocated		

14.5 Environmental hazards No information provided

14.6 Special precautions for user

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Hazardous substance or mixture according to EC-directives 67/548/EEC or 1999/45/EC.

Classifications Xi Irritant

Risk phrases R36/38 Irritating to eyes and skin.

Safety phrases S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice

S45 In case of accident or if you feel unwell seek medical advice immediately (show the label

where possible).

Inventory listing(s) EUROPE:EINECS (European Inventory of Existing Chemical Substances)

All components are listed on EINECS, or are exempt.

15.2 Chemical safety assessment

No information provided.

16. OTHER INFORMATION

Additional information PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

SDS Date: 23 Sep 2015 5 of 6 Version No: 1.3



Page 5 of 6

PRODUCT NAME TB-95 ETCHING FLUID FOR STAINLESS STEEL (UK)

HEALTH EFFECTS FROM EXPOSURE:

It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a ChemAlert report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

Abbreviations ACGIH American Conference of Governmental Industrial Hygienists

CAS # Chemical Abstract Service number - used to uniquely identify chemical compounds

CNS Central Nervous System DNEL Derived No Effect Level

EC No. EC No - European Community Number

EMS Emergency Schedules (Emergency Procedures for Ships Carrying Dangerous

Goods)

GHS Globally Harmonized System

IARC International Agency for Research on Cancer

LC50 Lethal Concentration, 50% / Median Lethal Concentration

LD50 Lethal Dose, 50% / Median Lethal Dose

mg/m³ Milligrams per Cubic Metre
OEL Occupational Exposure Limit
PBT Persistent, bioaccumulative, toxic

pH relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly

alkaline).

PNEC Predicted No Effect Concentration

ppm Parts Per Million

REACH Regulation on Registration, Evaluation, Authorisation and Restriction of Chemicals

STEL Short-Term Exposure Limit

STOT-RE Specific target organ toxicity (repeated exposure)
STOT-SE Specific target organ toxicity (single exposure)

TLV Threshold Limit Value TWA Time Weighted Average

vPvB Very Persistent and Very Bioaccumulative

Report status

This document has been compiled by RMT on behalf of the manufacturer, importer or supplier of the product and serves as their Safety Data Sheet ('SDS').

It is based on information concerning the product which has been provided to RMT by the manufacturer, importer or supplier or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer, importer or supplier.

While RMT has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.

Prepared by

Risk Management Technologies 5 Ventnor Ave, West Perth Western Australia 6005 Phone: +61 8 9322 1711 Fax: +61 8 9322 1794 Email: info@rmt.com.au Web: www.rmt.com.au.

Prepared in accordance with: Annex II of the REACH Regulation (EC) 1907/2006; (CLP) Regulation (EC) 1272/2008; and Regulation (EC) 453/2010 (Amendments to (EC) 1272/2008).

[End of SDS]



SDS Date: 23 Sep 2015 Version No: 1.3

Page 6 of 6